

Data sheet

PVC slat curtain

PVC SLAT CURTAIN



Kaviddoors PVC slat curtains are an economical solution for **places that require insulation, temperature control or environmental separation**. Designed for negative temperature controlled environments for use in **refrigerated spaces for chiller (+0 °C) and freezer (-20 °C) rooms**. Used especially in supermarkets, small shops and in the meat and fishing industries. Ideal for rooms that require compliance with health standards.

Options

- ✓ Installation on the ceiling inside the recess or on the wall.

- ✓ L-shaped extruded aluminum frame finished in white with white lacquer aluminum interior trim.

Fittings

Support tube, spacers and fixing clips. Made of 1.5mm thick AISI 304 2B stainless steel.
Stainless steel accessories and screws.

Slat

In quality, low temperature, flexible and transparent bluish PVC.
Measures of 200 x 3 mm for chiller and freezer rooms.
Individually removable.

Guides

If the curtain is sliding, the guide and carriage are made of 20 micron anodized aluminum with PVC bearings.

Maximum beam width	4 m
Maximum passage height	6 m



Easy assembly

Simple and fast installation with minimal maintenance. Light slats.



Slat

Easy replacement of slats



Fixing

Fixing inside the frame, on the ceiling, on the wall or outside.



Hygiene

Hygiene and resistance in extreme environments.



Durability

Durability when rotating the brackets on an axis.



Fixing tube and staples

Fixing tube and stainless steel clips with individually removable slats.



ventas@kavidoors.com
+34 960 619 716
Polígono El Molí, Partida El Testar s/n
46980 Paterna, Valencia, Spain

 kavidoors.com