

Data sheet

Tecnik sliding service door

TECNIK SLIDING SERVICE DOOR



Tecnik Kavidoors sliding service doors are specially designed to **close or divide warehouses and work rooms** in hospitals, clinics and food, chemical or pharmaceutical industries. Installation in supermarkets, logistics centers, hotels and restaurants. Use in areas with **positive temperatures**.

Options

- ✓ Double panel/telescoping panel.
- ✓ Customization of the frame to the brickwork or aluminum panel.
- ✓ L-shaped extruded aluminum frame with antibacterial RAL lacquer.
- ✓ Hood system for overhead rail passage.
- ✓ Methacrylate ISO sight glass.
- ✓ Lock for manual panel.
- ✓ Automation. Different opening options: radar, magnetic loop, push buttons...

Panel

Injection panel made of structural steel sheet **without molding or welding** and a thickness of 40 mm with white lacquer finish. **Rigid foam core out of polyisocyanurate (PIR)**, nominal density 40–45 kg/m³. Its **excellent performance against fire and its high insulating capacity** substantially improve the properties of foams with a traditional PUR polyurethane core.

Maximum beam width	3 m
Maximum passage height	3 m
Maximum total area	7.5 m ²

Guide

The panel is clamped and **slides** through the **two-bearing carriage system**. The guide and the carriages are made of 20 micron anodized aluminum, suitable to withstand any environment.

Lower guide formed by an aluminum guide profile on the panel and guide skid on the ground.

It has an **upper guide** formed by an anodized aluminum profile with tread protection and stainless steel Klein type hardware.

The **hygienically designed aluminum track** cover makes cleaning and maintenance easy.

Fittings

Hygienic design that **prevents the entry of dirt into the guide**. High resistance PVC bearings that guarantee its durability. Exterior and interior handle to **facilitate manual door opening and closing**.

Coatings




We have a wide range of coatings to guarantee the **maximum durability, even in the most extreme aggressive** : pre-lacquered stainless steel, stainless steel, PVC...

Colors

We have a **wide variety of RAL colors** to meet the needs of each client.



- 1 Panel detail.
- 2 Commercial sliding service door detail.
- 3 General plan detail.
- 4 Pull handle detail.



Functional features

Optimal climatic, hygienic and sanitary functional qualities.



Durability

High durability.



Customization


Customization to any situation.




Customization

Customization.

Door closed



Open door





ventas@kavidoors.com
+34 960 619 716
Polígono El Molí, Partida El Testar s/n
46980 Paterna, Valencia, Spain

 kavidoors.com